

REMARKS

Claims 1-35 are pending in the application. Claims 1-16 are cancelled. Claims 17-35 remain pending the present application.

Double Patenting

The Examiner rejected claims 17-35 under the ground of non-statutory obviousness-type double patenting over claims 9, 13, 14, 16-19, 21-24 of co-pending Application No. 11/069,938.

Applicants are filing a terminal disclaimer, which would overcome the rejection under obviousness-type double patenting.

Drawing Objection

The Examiner objected to the drawings under 37 CFR 1.84(p)(5) because reference number “504” for the second electrode as disclosed in the specification, page 10, line 19 is not shown in fig. 6B.

Applicant submits herewith an amendment of the specification, page 10, line 19 listed as above. The amended reference number “540” for the second electrode as disclosed in the specification, page 10, line 19 is shown in fig. 6B. Applicant respectfully submits that the Examiner’s objection is now overcome.

In view of the above, reconsideration and allowance of this application are now believed to be in order, and such actions are hereby solicited. If any points remain in issue which the Examiner feels may be best resolved through a personal or telephone interview, the Examiner is kindly requested to contact the undersigned at the telephone number listed below.

Amendment Under 37 C.F.R. § 1.111
U.S. Application No. 10/705,824

The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.


Respectfully submitted,

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER


Alan J. Kasper
Registration No. 25,426

Date: February 9, 2006